# Purchasing Receipts

9/12/2018

Print

Dart Hawkesbury 1270 Aberdeen St Hawkesbury, ON K6A 1K7 Canada Tel (613) 632-5200 Fax 613 632-5246

Total Supplier Name	Acier Ouellette Inc.	
	\$523.20 Acier Ouelli Inc.	\$400 84
Past		
Aging Days	0	
Price/Unit	Stock 9/12/2018 \$ 10.90 / ft	
Receive Date	9/12/2018	133
Status	Stock	
Container	\$109458	
Received Accounting Container Status Receive Price/Unit Aging Past Due		
Received Quantity	48	48
Due Date	8 9/12/2018	
Order Qty	48	48
Purchased Description Part Project Equipment Order Item No		Total:
Project		
For Part No		
Description	A513 Seamless Alloy Steel Round Tubing 0.75"dia. x 0.058"" wall : ASTM A513 TYPE 5 (1020/1026) SEAMLOS ROUND TUBING (DOM)	
Purchased Item	MT-A513-T- A513 0.750W0.058 Seamless Alloy Steel Round Tubing 0.75"dia. x 0.058"" Wall : ASTM A513 TYPE 5 (1020/1026) SEAMLESS ALLOY STEEL ROUND TUBING (DOM)	
Terms	2 Net 30	
Rel	<sub>α</sub>	
Line Item No		
PO No Supplier Item No No Terms No	P0040517 ACI001-VC	
PO No	P0040517	

Plex 9/12/2018 10:02 AM dart. Tollis. Andrew



Dart Aerospace Ltd. 1270 Aberdeen St Hawkesbury, ON K6A 1K7 Canada

Tel (613) 632-5200

# **PURCHASE ORDER** PO040517

ACI001-VC Supplier:

Acier Ouellette Inc. 935 Boul. Du Havre

Valleyfield

QC

J6S 5L1 Canada Phone: 800 667 4248 Fax: 450 377 5696

PO No:

PO040517

PO Date:

7/17/18

**Due Date:** 

7/31/18

Purchase Order Revision:

**Revision Date:** Ship-To Contact:

Lavoie, ChantalPhone:

clavoie@dartaero.com

Ship To:

1270 Aberdeen Street

Hawkesbury

ON

K6A 1K7 Canada Phone: 613-632-5200

Via: **Pymt Terms:**  Ground Net 30

Freight Terms:

Special Comments: quotation no sou0119261

Items

Line Item	Part	Supplier Part No	Description	Status	Account	Due Date	Order Quantity	Received Quantity		Unit Price (CAD)	Extended Price
3/H	MT-A513-T- 0.750W0.058		A513 Seamless Alloy Steel Round Tubing 0.75"dia. x 0.058" Wall : ASTM A513 TYPE 5 (1020/1026) SEAMLESS ALLOY STEEL ROUND TUBING (DOM)	Firmed	-	9/12/18	48 ft	0 ft	48 ft	\$10.90/ft M18/04/	\$523.20 2
									(	Grand Total:	\$523.20

## **Order Notes**

Procurement Quality Clauses

A005 right of entry

A012 chemical and physical test report

A016 personnel qualification

A017 raw material identification (as applicable)

A026 certification of material conformance

A041 quality management system

A042 dart notification by supplier

A043 retention of quality documents

A048 counterfeit parts avoidance, detection, mitigation and disposition program

A049 supplier awareness

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Plex 9/12/18 8:58 AM dart.lavoie.chantal



ACTER QUELLETTE INC. ACIER UDELLETTE ATTAC 935, Boil, du Mavre Salaberry de Valleyfield (Québec) 365 St.1 Tél.: 450-377-4246 Mtl: 514-336-4248 Ext.: 800-667-4248 Fax: 450-377-5696 Mtl: 514-336-4246 Ext.: 866-456-4242

Order - Factory

CO00108198

Billed to DART AEROSPACE LTD

1270 , ABERDEEN ST. HAWKESBURY, Ontario, K5A 1K7

Shipped to

1270 , ABERDEEN ST. HAWKESBURY, Ontario, K6A 1K7

Att : PATRICK LUSSIER Tél.: (613) 632-5200 X 730

Customer Nº Date

Delivery date Your order No

Processed by Salesman

CLI0001056 2018/09/05

2018/09/06 po040517 Denis Quenneville

Product Description	Weight	Qty	UM	PCS NB			Net 30 Days  Internal Use Only				
				CMD	EXP	B/O	IN	11	5	c	OUT
1 TUBE MEC 0.750 OD X .058 NS TMF-0750058 9987 2 x 24'	53.28	24.00	PJ_SPI	0.00			TO CONTROL OF THE PARTY OF THE				W-0,000,000,000,000,000,000,000
material afready received dq				0.00							
aditions :	Total Weight (LBS)	:1 53.28	**************************************	NIR : R-1	09516-6		or the state of th				

HST 34.01 Prepared By : Delivered By Verified By : Time Customer's Signature Total (\$CAD) M D 295.61 Deposit 0.00 Balance 295.61

Charl Rusie.

SEP 0 6 2018

1/1

Order - Customer

ACIER OUELLETTE INC. 935, Boul. du Hävre Salaberry de Valleyfield (Québec) 16S 5L1 Tél.: 450-377-4248 Mtl: 514-336-4248 Ext.: 800-667-4248 Fax: 450-377-5696 Mtl: 514-336-4246 Ext.: 866-456-4242

<b>Customer N°</b> CLI0001056 <b>Date</b> 2018/09/05	ery date order N°	Processed by		Credit Terme Net 30 Days	M PCS NB Internal Use Only	CMD EXP 8/0 IN I S C OUT	\$PI 0.00		0.00	NIR: R-109516-6		HST 34.01	Y   M   D Total (\$CAD) 295.61	Deposit 0.00	
Shipped to	1270 , ABERDEEN ST. HAWKESBURY. Ontario. KGA 1K7	AH - BATBICK I I ICCIEB TÁL - (612) 632-6300 V 730	PATRICA LUSSIER TEL.: (013) 032-3200.	Delivery Route 5	Weight Qty UM		53.28 24.00 PI_\$PI		•	Total Weight (LBS):1 53.28	defin full, complete and cashed. All lost materials are at the buyer's expense. The warranty offered by is transferred by "Acier Quellette Inc." to the client. The buyer hereby accepts to respect the charges of 2% per menth (24% per annum) on all past due amounts over 30 days. Any default in those to claim for the balance due or the repossession of the goods sold. All claims must be made to or modified cannot be returned, All goods returned must be with our authorization and are subject to		Customer's Signature		
	DART AEROSPACE LID 1270 - ABERDEEN ST. HAWK	o, K6A 1K7	F-M	Deliv	Product Description		1 TUBE MEC 0.750 OD X .058 NS	2×24" Prept: (336870) M	material already received dq	Conditions .	Standard standards remain the property of "Acier Ouellette Inc" until payment is made in full, complete and cashed. All lost materials are at the buyer's expense. The warranty offered by "Acier Ouellette Inc." is the same as offered and honored by the manufacturer and his warranty is transferred by "Acier Ouellette Inc." to the client. The buyer hereby accepts to respect the following conditions: in the 3d days from billing date and the buyer accepts to pay administration changes of 2% per month (24% per amunn) on all past due amounts over 30 days. Any default in expect with this contract will least to payment by acceleration and permits to the seller, at his choice to claim for the balance due or the repossession of the goods sold. All claims must be made within five (5) days with this contract enclosed. Any nechanise that has been demaged, cut or modified cannot be returned, all goods returned must be with our authorization and are subject to	a 25% restocking charge.	Prepared By : Delivered By : Time		

# CERTIFICATE OF TEST CERTIFICAT D'ESAIS

CQ 108198

CUSTOMER ORDER NUMBER NUMÉRO DE COMMANDE DU CLIENT

AC00018950
PART NUMBER/NUMÉRO DE PIÈCE

Dart

18920 N

Page 01 of 01

Certification Date 29-AUG-2018

Invoice Number T383147

SOLD TO: SHIP TO: ACIER OUELLETTE INC. ACIER OUELLETTE INC. VENDU À: DIVISION SALABERRY DE VAEXEMMERLD DIVISION SALABERRY DE VALLEYFIELI 935, BOUL, DU HAVRE 935, BOUL. DU HAVRE SALABERRY-DE- VALLEYFIELD OC J6S 5L1SALABERRY-DE- VALLEYFIE OC J65 Description: 1020 DOM SRA A513/5 .750 OD\_& .634 ID (.058 Line Total: ITEM: 101647 Specifications: ASTM A513 TP 5 M CHEMICAL ANALYSIS P S SI CU C MN NI 0.002 0.031 0.092 0.20 0.54 0.01 0.031 0.057 TI V MO 0.01 0.026 0.003 0.002 RCPT: R529857 COUNTRY OF ORIGIN : USA MECHANICAL PROPERTIES \_\_\_\_\_\_ YLD STR ULT TEN %ELONG %RED HARDNESS IN 02 IN IN AREA PSI DESCRIPTION PSI RB 95500.0 17.0 90 81100.0 CRUSH: Y FLATTEN: Y FLARE: Y MATERIAL IS FREE FROM MERCURY CONTAMINATION NO WELD REPAIR PERFORMED ON MATERIAL COMMENTS drawn in the usa reduction ratio 10-1

The above data were transcribed from the manufacturer's Certificate of Test after verification for completeness and specification requirements of the information on the certificate. All test results remain on file subject to examination. Les informations ci-haut-mentionnées sont transcrites du certificat d'essais du manufacturier après vérification de l'état complet des spécifications inscrites sur le certificat. We hereby certify that the material covered by this report will meet the applicable requirements described herein, including any specification forming a part of the description. Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-haut.

Material did not come in contact with mercury while in our possession. Par les présentes, nous certifique que le matériel couvert par ce rapport rencontre les specifications décrites cihaut.

The willful recording of fulse fictitions of franchical statements in sourceston with estroyalls the box biaiwilled of the first will be biaiwilled of the b

frauduleuses en rapport avec le résultat des essais sont punissables en vertu des lois fédérales.

MANAGER QUALITY ASSURANCE GÉRANT DE L'ASSURANCE QUALITÉ

APPROVED 2017 SCALE: NTS SHEET 1 OF 1 WM ASTMAS13 TYPE 5 (1020/1028) ALLOY STEEL ROUND TUBING (DOM) ВУ VM 17 XXX ± .005 17 XX ± .01 17 X ± .01 MT-A513-T 17.09.06 DATE # NO= 17-655 PURCHASE MATERIAL: ASTM A513 TYPE 5) 1020/1026) SEAMLESS ALLOY STEEL ROUND TUBING (DOM) EG. 3/4" ROUND TUBING WITH .120" WALL THICKNESS = MT-A513-T-0.750W0.120 2 me TYPE 5 ADDED, TEMPLATE UPDATED DESCRIPTION NEW RELEASE WHERE D.DDD IS OUTSIDE DIAMETER IN INCHES WHERE T.TTT IS WALL THICKNESS IN INCHES SPECIFICATION CONTROL DRAWING REV. 8 × MT-A513-T-[D.DUDJW[T.TTT] ASTM A513 TYPE 5 SPECIFICATION: PART NUMBER: 8 a 0

# **MATERIAL RECEIPT INSPECTION FORM**

MATERIAL: MT-	ASI	3-1	-0.750	1W0.058	PO / BATCH	NO.: <u>Poo</u>	40517/51	9458			
MATERIAL CERT REC'D: Ses  QUANTITY RECEIVED: 481  QUANTITY INSPECTED: 481  QUANTITY REJECTED: 6	C4			THICKNESS ORDERED: 0.058"  THICKNESS RECEIVED: 0.058"  SHEET SIZE ORDERED: —  SHEET SIZE RECEIVED: —							
DESCRIPTION	(CI	CR heck (/N)			COMMEN <sup>*</sup>	TS					
SURFACE DAMAGE	Y	IN									
CORRECT FINISH	(V)	N									
CORROSION	Y	N			,						
CORRECT GRAIN DIRECTION	(Y)	N									
CORRECT MATERIAL PER M-DRAWIN		N	4571	M AS13		200/1-2-1-2-1-2-1					
CORRECT THICKNESS	(Y)	N			F)						
PHOTO REQUIRED	Y	(N)	11/1	2://2							
CORRECT REF # TO LINK CERT	(Y)	N	N.C.	226890							
CORRECT MATERIAL IDENTFICATION		N									
CORRECT M# ON THE MATERIAL	(Y)	N	-								
DOES THIS MATERIAL REQUIRE ENG!NEERING SIGN OFF	Y	N									
DOES THIS REQUIRE AN EXTRUSION REPORT	Y	N		*							
CUT SAMPLE PIE	CE OF	MA	TERIAL A	AND PREFOR	M A HARDNE	SS CHECK.					
		REC	ORD RES	SULTS BELOV	٧						
			HRC	HRB	DUR A	DUR D	WEBSTER				
TYPE OF MATERIAL											
SIZE OF TEST SAMPLE	21110	<u> </u>									
HARDNESS / DUROMETER REAL		L		11 0 11 011							
	<u>u</u>	esters	riocated in	<u>n the Quality Offic</u> I							
QC 18 INSPECTION			No.		ENGINEER	RING SIGNOF	F (if required)				
INSPECTED BY:				SIG	NED OFF BY:						
DATE: 18/02					DATE:						
DATE: 18/01	12				DATE:						

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in